

Definition of common language and terms

| Definition | Description | Example |
|--------------------------|--|---------|
| Activation | <ul style="list-style-type: none">• Activation is the process of <u>generating a license file based on an entitlement certificate.</u>• A license can be created for the entitlement lines / products on the entitlement.• A partial activation can be performed.• For each activation a fulfillment record will be created. | |
| Activation record | <ul style="list-style-type: none">• Is identical to an entitlement line.• Consists of a unique id for activation purpose.• View on entitlement line from activation perspective. | |
| Consolidation | <ul style="list-style-type: none">• License consolidation is the generation of a single license file during the activation process for several or all licenses of an entitlement certificate.• A consolidated license file for all licenses of an entitlement certificate is much easier to handle; thus license consolidation is the default. | |

| | | |
|---|--|--|
| <p style="text-align: center;">Counted License</p> | <ul style="list-style-type: none"> • A counted license is controlled by the license server, so that only the specified licensed quantity can be used at a time. • All hardware and software feature licenses are counted licenses. • The opposite of a counted license is an uncounted license. • Only the licenses of some software tools are uncounted. | |
| <p style="text-align: center;">Demo License</p> | <ul style="list-style-type: none"> • Demo licenses are available to equip Advantest hardware equipment that we consign to customers for demonstration purposes. • Demo licenses are also available for customer owned systems, to demonstrate specific system features that are controlled with a license, which the customer hasn't purchased yet. • Demo licenses are always... <p>-term, i.e. <u>time-limited to either 30-days or 12-months</u></p> <p>-Node-locked, so that they <u>can be used only on one specific system / workstation</u>.</p> | |
| <p style="text-align: center;">Emergency License</p> | <ul style="list-style-type: none"> • An emergency license is a short-term license that Advantest provides to support customers who have a license that has not expired, but is not functioning due to network or license server issues. • An emergency license has an expiration period of 10 days. | |

| | | |
|---------------------------------------|---|--|
| <p>Entitlement</p> | <ul style="list-style-type: none"> • An entitlement represents the customers' rights to use specific licensed system capabilities. An entitlement acts as a container for the license products purchased in a single purchase order. • Consists of an entitlement id, a customer and entitlement lines = license products. | |
| <p>Entitlement ID</p> | <ul style="list-style-type: none"> • Unique identifier for a specific entitlement. • Can be found on the Entitlement Certificate. • Required for all sorts of licensing related activities, e.g. for the activation process (e.g. used by customer/CE/AE for logging in to Flexera's Flexnet Operations Module). | |
| <p>Entitlement line</p> | <ul style="list-style-type: none"> • Equals a specific license product. • Consists of an activation id, a product number, the number of entitled copies (= quantity) and some other items related to the product (e.g. expiration date). | |
| <p>Entitlement Certificate</p> | <ul style="list-style-type: none"> • Is a document (HTML and/or paper copy) that is unique for each entitlement. • Is the legal proof of an entitlement. • Is shipped together with the hardware product delivery as paper copy (if applicable), or sent by email for eDeliveries. • Contains information about entitlement lines / license products. | |

| | | |
|---|---|--|
| <p style="text-align: center;">ERP</p> | <ul style="list-style-type: none"> • ERP stands for Enterprise Resource Planning, which is an integrated business management software system. • <u>Advantest's ERP system is Oracle.</u> • All Advantest sales orders are booked in Oracle. Orders that include licenses are automatically loaded into the Flexnet Operations Module (FNO), i.e. our License Management System. | |
| <p style="text-align: center;">Expiration Date</p> | <ul style="list-style-type: none"> • Is the date after which the respective license or to be exact, the respective fulfillment line will no longer be valid. • The expiration date is part of the FlexNet Publisher Authorization Code, i.e. part of the license file for every single fulfillment line. | |
| <p style="text-align: center;">Feature</p> | <ul style="list-style-type: none"> • Describes a technical functionality enabled by a license file. • Consists of a name (= license string / string name) and a version number, e.g. Protocol_Aware_SOC, Version 1.0. • Every feature of a license product has a specific count, i.e. quantity that can be used simultaneously. | |

| | | |
|--|---|--|
| <p>FlexNet Publisher Authorization Code</p> | <ul style="list-style-type: none"> • Is the character string created during the License Activation Process for installation on a computer running a FlexNet Publisher License Server. • A FlexNet Publisher Authorization Code defines a specific range of Software Features or Hardware Feature values, an Expiration Date for the Feature License, and the quantity of such Feature Licenses. | |
| <p>Floating</p> | <ul style="list-style-type: none"> • A floating license can be shared between all test systems (or workstations) that are connected via the same network. • Opposite of a node-locked license. | |
| <p>FNO</p> | <ul style="list-style-type: none"> • Stands for Flexnet Operations Module. • Is our License Management System. • All Oracle license orders are loaded into FNO with an automated order load (AOL). • In FNO the entitlement certificate is generated before it is sent out to customers. • All key transactions through the lifecycle of licenses is done and/or recorded in FNO, e.g. license activation, re-hosting, renewal, return, transfer. | |

| | | |
|----------------------------------|--|--|
| <p>Fulfillment record</p> | <ul style="list-style-type: none"> • Describes an item that is created on each fulfillment of an activation record. • An activation record can be linked to more than one fulfillment record, if a partial activation has occurred. • Consists of a fulfillment id, the attributes related to the activation, the license file. | |
| <p>License</p> | <ul style="list-style-type: none"> • A license allows the use of a specific hardware or software capability. | |
| <p>License Model</p> | <ul style="list-style-type: none"> • A license model defines licensing characteristics that determine how, when, and where a license product can be used. • Defines the commercial attributes of a license (e.g. floating, node locked, 30-days, per-session...). • Consists of a name, a description, and a number of commercial license attributes. | |
| <p>License Product</p> | <ul style="list-style-type: none"> • Describes an item that consists of a set of features. • Consists of a product name (= product number), a description, a version number, an associated license model and a set of features and their quantities. | |
| <p>Node-locked</p> | <ul style="list-style-type: none"> • A node-locked license cannot be shared between different test systems (or workstations), but can be used only on a dedicated test system serial-number or on a dedicated workstation MAC-address. | |

| | | |
|--------------------------|---|--|
| <p>Perpetual</p> | <ul style="list-style-type: none"> • Perpetual licenses grant use rights that are unlimited in time, however the related license files / activation records need to be renewed annually. | |
| <p>Permanent</p> | <ul style="list-style-type: none"> • Permanent licenses grant use rights that are unlimited in time. <div data-bbox="644 517 951 840" style="border-left: 2px solid #0070C0; background-color: #E1F5FE; padding: 10px; margin-top: 10px;"> <p>Different to perpetual licenses, the license files for permanent licenses do not to be renewed on an annual basis.</p> </div> | |
| <p>Re-hosting</p> | <ul style="list-style-type: none"> • Re-hosting is the process of moving a license from one host / license server to another host. | |

Renewal

- All perpetual hardware and software feature licenses have to be renewed annually, since the license file (= the fulfillment records) that has been generated during the activation process will expire on January 31st of the respective following year.
- With each renewal, new fulfillment records will be created. The expiry date of these new fulfillment records will again be the January 31st of the respective following year.
- The new fulfillment records that are generated during the renewal do not only extend the expiry date, but also update the versions of all licenses that have a new revision.
- During the annual renewal process, re-hosting of licenses (= move of licenses from host A to host B) is possible. Apart from that, re-hosting is also possible throughout the year following a re-hosting request process (note: fees may apply).
- The License Renewal Process has to be completed between January 1 and January 31 of every year.
- Old Fulfillment records cannot be deleted, i.e. they still will be visible in the License Management System.

| | | |
|---------------------------------|--|--|
| <p>Term License</p> | <ul style="list-style-type: none"> • Term licenses grant a use right that is time limited. • Typical durations for term licenses are 30-days, 6-months and 12 months. • Term licenses expire after the respective entitlement period is over. | |
| <p>Trade License</p> | <ul style="list-style-type: none"> • Licenses that customers purchase and thus own are trade licenses. • Practically all hardware and software feature trade licenses are perpetual and floating. | |
| <p>Return</p> | <ul style="list-style-type: none"> • A license return involves removing of license rights from a specific entitlement certificate / entitlement line items. • License returns of trade licenses are possible only on an exceptional basis, usually only in conjunction with complete V93000 system trade-ins or buy -backs. | |
| <p>Uncounted License</p> | <ul style="list-style-type: none"> • The opposite of a counted license => see above. • The licensed quantity of a certain license product is not controlled (= counted) by a license server, i.e. an unlimited quantity of a licensed feature can be used in parallel. <div data-bbox="644 1639 951 1825" style="border: 1px solid #0070C0; background-color: #D9E1F2; padding: 5px; margin-top: 10px;"> <p>Example for an uncounted license: S&S tools package.</p> </div> | |

Revision #1

Created 2025-10-15 09:58:09 CEST by Ekaterina Nikitina

Updated 2025-10-15 09:58:09 CEST by Ekaterina Nikitina